

Temperature Log

The Jikei University Hospital

Location : Pharmaceutical department

Acceptable Temperature Range : room temperature

Thermometer Device/ID: FS Traceable /221808074(Expiry date 05 Oct 2024)

Date 日付	Time 確認時間	Current 確認時の 温度	Min 最低温度	Max 最高温度	Initials (確認者)
01 Feb 2023	9 : 30	21.9	18.2	23.4	S.H
02 Feb 2023	11 : 00	23.1	20.1	23.7	S.H
03 Feb 2023	9 : 00	22.4	19.8	23.7	S.H
04 Feb 2023	9 : 30	22.5	19.8	23.7	S.H
05 Feb 2023	:				
06 Feb 2023	9 : 00	22.5	20.0	23.8	R.Y
07 Feb 2023	9 : 30	22.9	20.8	23.6	R.Y
08 Feb 2023	9 : 30	22.8	20.9	23.6	Y.N
09 Feb 2023	9 : 00	22.6	20.2	23.6	Y.N
10 Feb 2023	9 : 00	22.7	19.8	23.5	Y.N
11 Feb 2023	:				
12 Feb 2023	:				
13 Feb 2023	9 : 00	22.4	19.8	23.6	Y.N
14 Feb 2023	9 : 00	22.3	20.2	23.5	Y.N
15 Feb 2023	9 : 00	22.2	19.2	23.4	Y.N
16 Feb 2023	8 : 30	22.3	19.0	23.5	Y.N
17 Feb 2023	9 : 00	22.2	19.7	23.6	Y.N
18 Feb 2023	9 : 00	22.2	20.0	23.6	Y.N
19 Feb 2023	:				
20 Feb 2023	9 : 00	22.6	20.8	23.6	Y.N
21 Feb 2023	9 : 00	22.1	19.6	23.5	Y.N
22 Feb 2023	9 : 00	22.5	19.2	23.5	Y.N
23 Feb 2023	:				
24 Feb 2023	9 : 00	22.7	20.0	23.5	Y.N
25 Feb 2023	9 : 30	22.5	20.6	23.6	Y.N
26 Feb 2023	:				
27 Feb 2023	9 : 30	22.5	20.1	23.5	R.Y
28 Feb 2023	10 : 30	23.0	20.4	23.5	R.Y
	:				