

Temperature Log

The Jikei University Hospital

Location : Pharmaceutical department

Acceptable Temperature Range : room temperature

Thermometer Device/ID: FS Traceable /221808074(Expiry date 05 Oct 2024)

Date 日付	Time 確認時間	Current 確認時の 温度	Min 最低温度	Max 最高温度	Initials (確認者)
01 May 2023	:				
02 May 2023	:				
03 May 2023	8 : 15	21.5	20.5	22.0	S.H
04 May 2023	:				
05 May 2023	:				
06 May 2023	8 : 40	21.5	21.3	21.6	S.H
07 May 2023	:				
08 May 2023	8 : 30	21.4	21.3	21.8	S.H
09 May 2023	8 : 40	21.5	20.9	21.6	R.Y
10 May 2023	13 : 05	21.4	21.1	21.8	R.Y
11 May 2023	12 : 00	21.5	21.3	21.6	S.H
12 May 2023	9 : 30	21.4	21.1	21.9	S.H
13 May 2023	8 : 30	21.5	21.4	21.8	S.H
14 May 2023	:				
15 May 2023	9 : 00	21.5	21.4	21.8	S.H
16 May 2023	10 : 00	21.4	21.4	21.8	Y.N
17 May 2023	15 : 30	21.4	21.4	21.7	Y.N
18 May 2023	9 : 00	21.5	21.2	21.7	S.H
19 May 2023	8 : 45	21.7	21.2	21.8	S.H
20 May 2023	9 : 00	21.6	20.9	21.7	S.H
21 May 2023	:				
22 May 2023	9 : 00	21.4	21.4	21.8	S.H
23 May 2023	8 : 45	21.4	21.3	21.6	R.Y
24 May 2023	12 : 30	21.4	21.3	21.6	R.Y
25 May 2023	14 : 10	21.5	21.3	21.8	R.Y
26 May 2023	17 : 00	21.5	21.3	21.8	S.H
27 May 2023	9 : 50	21.4	21.3	21.8	S.H
28 May 2023	:				
29 May 2023	9 : 00	21.6	21.4	22.7	S.H
30 May 2023	9 : 00	21.5	21.5	22.0	R.Y
31 May 2023	9 : 05	21.4	21.4	21.8	R.Y