

# Temperature Log

The Jikei University Hospital

Location : Pharmaceutical department

Acceptable Temperature Range : room temperature

Thermometer Device/ID: FS Traceable /221808074(Expiry date 05 Oct 2024)

Date 日付	Time 確認時間	Current 確認時の 温度	Min 最低温度	Max 最高温度	Initials (確認者)
01 Feb 2024	8 : 45	21.8	20.0	22.1	R-Y
02 Feb 2024	10 : 45	21.9	18.7	22.2	R-Y
03 Feb 2024	9 : 20	22.1	19.3	22.2	R-Y
04 Feb 2024	:				
05 Feb 2024	9 : 00	21.9	18.8	22.1	S-H
06 Feb 2024	10 : 00	21.9	18.8	22.2	S-H
07 Feb 2024	9 : 10	22.1	18.8	22.1	S-H
08 Feb 2024	9 : 15	21.9	18.8	22.2	S-H
09 Feb 2024	10 : 30	22.0	19.0	22.2	S-H
10 Feb 2024	8 : 45	21.6	18.4	22.2	S-H
11 Feb 2024	:				
12 Feb 2024	:				
13 Feb 2024	8 : 40	21.8	19.1	22.2	S-H
14 Feb 2024	8 : 30	22.0	19.8	22.1	S-H
15 Feb 2024	9 : 15	22.0	20.7	22.2	S-H
16 Feb 2024	8 : 30	21.8	21.3	22.1	S-H
17 Feb 2024	8 : 45	21.8	19.2	22.0	S-H
18 Feb 2024	:				
19 Feb 2024	11 : 15	22.0	20.9	22.3	S-H
20 Feb 2024	8 : 50	21.8	21.7	22.2	S-H
21 Feb 2024	9 : 00	22.0	21.3	22.4	S-H
22 Feb 2024	8 : 40	21.9	19.8	22.1	S-H
23 Feb 2024	:				
24 Feb 2024	9 : 00	21.7	18.2	22.1	S-H
25 Feb 2024	:				
26 Feb 2024	11 : 00	22.0	19.1	22.3	S-H
27 Feb 2024	9 : 00	21.8	19.8	22.2	S-H
28 Feb 2024	8 : 45	22.1	19.1	22.1	S-H
29 Feb 2024	9 : 00	22.2	19.0	22.3	S-H

Shunsuke Hitosugi

02/ Mar /2024