

Temperature Log

The Jikei University Hospital

Location : Pharmaceutical department

Acceptable Temperature Range : room temperature

Thermometer Device/ID: FS Traceable /221808074(Expiry date 05 Oct 2024)

Date 日付	Time 確認時間	Current 確認時の 温度	Min 最低温度	Max 最高温度	Initials (確認者)
01 May 2024	:				
02 May 2024	8 : 30	21.3	21.2	22.0	Y.N
03 May 2024	:				
04 May 2024	:				
05 May 2024	:				
06 May 2024	:				
07 May 2024	8 : 30	21.4	21.2	22.0	Y.N
08 May 2024	8 : 30	21.3	21.1	22.0	Y.N
09 May 2024	8 : 30	21.3	21.0	22.0	S.H
10 May 2024	12 : 00	21.5	21.0	21.7	S.H
11 May 2024	16 : 00	21.4	21.2	21.7	Y.N
12 May 2024	:				
13 May 2024	10 : 30	21.3	21.2	21.7	Y.N
14 May 2024	9 : 00	21.4	21.0	22.0	S.H
15 May 2024	9 : 00	21.3	21.2	21.7	S.H
16 May 2024	8 : 30	21.2	21.2	21.7	Y.N
17 May 2024	10 : 00	21.4	21.2	21.8	S.H
18 May 2024	8 : 30	21.4	21.3	21.7	S.H
19 May 2024	:				
20 May 2024	8 : 30	21.4	21.2	21.7	S.H
21 May 2024	13 : 00	21.4	21.2	21.7	S.H
22 May 2024	9 : 00	21.3	21.2	21.7	Y.N
23 May 2024	9 : 00	21.4	21.2	21.7	Y.N
24 May 2024	9 : 30	21.4	21.2	21.7	S.H
25 May 2024	9 : 00	21.3	21.2	21.7	S.H
26 May 2024	:				
27 May 2024	10 : 00	21.3	21.2	21.8	Y.N
28 May 2024	9 : 00	21.4	21.2	21.8	Y.N
29 May 2024	9 : 00	21.3	21.2	21.8	S.H
30 May 2024	9 : 30	21.3	21.0	21.7	R-Y
31 May 2024	8 : 40	21.6	21.1	21.8	R-Y

Investigational Product Manager's Signature:

Shunsuke Hitosugi

Date: 06 / Jun / 2024